

BRENNER Volt 800 Series 4 zones Induction Range with one Fan Forced Oven - BREE8-600ICO

Quick Overview

- **Fast, energy-efficient induction cooking** â€“ Durable ceramic glass induction cooking surface, 543 Ã— 590 mm.
- **Fan-forced oven** â€“ Fan-forced oven for even heat distribution, with a wide temperature range from +50Â ° C to +300Â ° C. 75 L capacity, suits 435 Ã— 315 mm pans.
- **Simple controls** â€“ Knob controls with digital timer display.
- **Heavy-duty stainless steel construction** â€“ High splashback protects surrounding walls.
- **Easy to position** â€“ Adjustable feet and rear swivel castors.
- **Built-in safety** â€“ Built-in overheat protection.
- **Induction zones** - 4
- **Oven internal (W Ã— D Ã— H)** - 448 Ã— 530 Ã— 360 mm
- **Oven power (upper / lower)** - 1600 W / 2600 W

Â

Description

BRENNER Volt 800 Series 4 zones Induction Range with one Fan Forced Oven - BREE8-600ICO

The BRENNER Volt 800 Series Induction Range with Oven is a 2-in-1 electric oven with an induction cooktop for cafés, food trucks, pub kitchens and small restaurants. It combines responsive induction cooking with baking, roasting and finishing in one stainless steel unit.

This 600 mm model pairs 4 induction zones with a 75 L fan-forced oven, on a commercial 415V three-phase supply.

Key Features

- **Fast, energy-efficient induction cooking** – Durable ceramic glass induction cooking surface, 543 × 590 mm.
- **Fan-forced oven** – Fan-forced oven for even heat distribution, with a wide temperature range from +50 ° C to +300 ° C. 75 L capacity, suits 435 × 315 mm pans.
- **Simple controls** – Knob controls with digital timer display.
- **Heavy-duty stainless steel construction** – High splashback protects surrounding walls.
- **Easy to position** – Adjustable feet and rear swivel castors.
- **Built-in safety** – Built-in overheat protection.
- **Induction zones** - 4
- **Oven internal (W × D × H)** 448 × 530 × 360 mm
- **Oven power (upper / lower)** - 1600 W / 2600 W

1 Year Parts and Labour + 1 Year Parts Only for Products Registered within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Connection Type	Induction
Knobs	4 knobs
Net Weight (Kg)	120
Width (mm)	600
Depth (mm)	800
Height (mm)	1165
Packing Width (mm)	680
Packing Depth (mm)	890
Packing Height (mm)	1340
Power	415V three-phase, 18.2kW, 3~N
Warranty	1 Year Parts and Labour + 1 Year Parts Only for Products Registered within 14 Days of Invoice