

BRENNER Forge 800 Series Gas Bench Top Cooking Range NG with 6 burners - BREG8R-900N

Quick Overview

- **Reliable commercial ignition and control**
  -Heavy-duty pilot system for reliable commercial performance.
  -Independent pilot shut-off valve.
  -Battery-free piezo ignition â€” no batteries and no power point required.
  -Fast ignition with no prolonged knob holding.
  -Heavy-duty zinc alloy control knobs.
- **Safety and build**
  -Flame failure protection.
  -Heavy-duty stainless steel gas components.
  -Heavy-duty trivets designed for commercial cookware.
- **Cleaning and service**
  -Lift-off high-output burners for easy cleaning.
- **Gas type and output â€” specify at order**
  -Available in Natural Gas (NG) or LPG. NG models run at a slightly higher output than the matching LPG model: 76 MJ/h vs 68 MJ/h at 2 burners, up to 304 MJ/h vs 272 MJ/h at 8 burners. Gas equipment must be commissioned by an authorized technician.
- **High-volume configuration**
  -Available in 8-burner configuration for high-volume kitchens.

Description

BRENNER Forge 800 Series Gas Benchtop Cooking Range NG with 6 burners - BREG8R-900N

The Brenner Forge 800 Series is a commercial gas cooktop supplied as a benchtop cooking range in 2, 4, 6 and 8-burner configurations. All four widths run the full 800mm commercial depth for greater cooking capacity and stability, and share dimensions across the 800 Series so units line up cleanly.

Burners are lift-off high-output units — pull them for cleaning rather than working around them. Heavy-duty trivets are sized for commercial cookware, not domestic pans.

Key Features

- **Reliable commercial ignition and control**
  -Heavy-duty pilot system for reliable commercial performance.
  -Independent pilot shut-off valve.
  -Battery-free piezo ignition — no batteries and no power point required.
  -Fast ignition with no prolonged knob holding.
  -Heavy-duty zinc alloy control knobs.
- **Safety and build**
  -Flame failure protection.
  -Heavy-duty stainless steel gas components.
  -Heavy-duty trivets designed for commercial cookware.
- **Cleaning and service**
  -Lift-off high-output burners for easy cleaning.
- **Gas type and output — specify at order**
  -Available in Natural Gas (NG) or LPG. NG models run at a slightly higher output than the matching LPG model: 76 MJ/h vs 68 MJ/h at 2 burners, up to 304 MJ/h vs 272 MJ/h at 8 burners. Gas equipment must be commissioned by an authorized technician.
- **High-volume configuration**
  -Available in 8-burner configuration for high-volume kitchens.

2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Connection Type	NG
Net Weight (Kg)	66
Width (mm)	900
Depth (mm)	800
Height (mm)	547
Packing Width (mm)	990
Packing Depth (mm)	970
Packing Height (mm)	450
Power	MJ/h 228
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice