

# Drying tunnel TS for Fagor compact conveyor dishwasher - TS-COO

## Quick Overview

- TS-COO Specially for Rack Conveyor Dishwasher modular models CCO-180 and CCO-225
- Supplementary element with 9kW heating element box and upper fan for drying off the dishes with 0.55kW motor
- All AISI-304 Stainless steel
- Upwards-opening double panel door
- Easy access for cleaning
- Safety filter for pump suction
- Rinsing boiler with heat insulation
- Easy access for installation
- Electrical panel designed for easy connection of dosers for liquid and solid detergents, rinse aid, limit switches,
- Washing arms easily removable as a set, for cleaning
- Rinse jets easily dismountable and removable.
- Wash (50 - 65 Â ° C)
- Rinse (70 - 85 Â ° C)
- Emergency stop button incorporated.
- Open door blocking system
- IPX4 protection system
- System for detection of blockageÂ of conveyor carriage and automatic reverse function.
- High-power washing system with 4 upper and 4 lower washing branches
- 3 washing programs: deep, medium and high capacity
- Double effect rinse.
- Energy-saving systems
- Included:
    - 2 base baskets; 2 baskets for plates;
    - 1 basket for glasses; 1 basket for cutlery
- Watermark approved

## Description

**Drying tunnel TS for Fagor compact conveyor dishwasher - TS-COO**

**Key Features**

- TS-COO Especially for Rack Conveyor Dishwasher modular models CCO-180 and CCO-225
- Supplementary element with 9kW heating element box and upper fan for drying off the dishes with 0.55kW motor
- All AISI-304 Stainless steel
- Upwards-opening double-panel door
- Easy access for cleaning
- Safety filter for pump suction
- Rinsing boiler with heat insulation
- Easy access for installation
- Electrical panel designed for easy connection of doses for liquid and solid detergents, rinse aid, limit switches,
- Washing arms are easily removable as a set, for cleaning
- Rinse jets are easily dismountable and removable.
- Wash (50 - 65 ° C)
- Rinse (70 - 85 ° C)
- Emergency stop button incorporated.
- Open door blocking system
- IPX4 protection system
- System for detection of blockage of conveyor carriage and automatic reverse function.
- High-power washing system with 4 upper and 4 lower washing branches
- 3 washing programs: deep, medium, and high capacity
- Double effect rinse.
- Energy-saving systems
- Included:
    - 2 base baskets; 2 baskets for plates;
    - 1 basket for glasses; 1 basket for cutlery
- Watermark approved
- **Dimensions (WxDxH mm):** 600x790x1945

**2 Years Parts and Labour Warranty**

## Your Shipping Specifications

| | |
|---|---|
| **Product Condition** | New |
| **Net Weight (Kg)** | 70 |
| **Width (mm)** | 600 |
| **Depth (mm)** | 790 |
| **Height (mm)** | 1945 |
| **Packing Width (mm)** | 960 |
| **Packing Depth (mm)** | 1530 |
| **Packing Height (mm)** | 1900 |
| **Power** | 415/50V/Hz; 14.8/3~N |
| **Warranty** | 2 Years Parts and Labour |